


Test Verification of Conformity

Verification Number: 240628062GZU-VOC001

On the basis of the tests undertaken, the sample<s> of the below product have been found to comply with the requirements of the referenced specification<s>/standard<s> at the time the tests were carried out. This verification is part of the full test report<s> and should be read in conjunction with it <them>.

Applicant Name & Address:	FORTRESS POWER LLC 2010 Suite L Cabot Blvd W Langhorne, PA 19047, USA
Product Description:	Grid Support Hybrid inverter
Ratings & Principle Characteristics:	Max input voltage (dc):600V Battery voltage operating range (dc):48-60V Nominal AC voltage:208Vac/240Vac Nominal AC frequency:60Hz
Models/Type References:	FP-ENVY-12K
Brand Names:	
Specification<s>/Standards:	Inverters, Converters, Controllers and Interconnection System Equipment for use with Distributed Energy Resources [UL 1741:2021 Ed.3] CRD for Power Control Systems (PCS) issued on March 8, 2019 (Pass 204.1 import and Export limiting from all sources)
Verification Issuing Office Name & Address:	Intertek Testing Services Shenzhen Ltd. Guangzhou Branch Room 02, & 101/E201/E301/E401/E501/E601/E701/E801 of Room 01 1-8/F., No. 7-2. Caipin Road, Science City, GETDD, Guangzhou, Guangdong, China
Date of Tests:	29 June 2024-03 July 2024
Test Report Number(s):	240628062GZU-001, 08 July 2024
Additional information in Appendix.	

Jason Fu

Signature

Name: Jason Fu
Position: Supervisor
Date: 08 July 2024

This Verification is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Verification. Only the Client is authorized to permit copying or distribution of this Verification. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test/inspection results referenced in this Verification are relevant only to the sample tested/inspected. This Verification by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.